




Chrome Plated Steel Tubes

Direct plated finishes on welded steel tubes manufactured to DIN 2394. Only the very best quality of surface finish steel is used in the production of our tube.

| Product | Art.no. | Ø mm | Wall thickness mm | Meter per bundle |
|---|---------------|---------|----------------------|---------------------|
|  | 2200950505000 | 9,5 | 0,5 | 300 |
| | 2201100505000 | 11 | 0,5 | 250 |
| | 2201200505000 | 12 | 0,5 | 250 |
| | 2201270505000 | 12,7 | 0,5 | 250 |
| | 2201400505000 | 14 | 0,5 | 200 |
| | 2201600505000 | 16 | 0,5 | 200 |
| | 2201800605000 | 18 | 0,6 | 150 |
| | 2201900605000 | 19 | 0,6 | 150 |
| | 2202000605000 | 20 | 0,6 | 150 |
| | 2202500705000 | 25 | 0,7 | 100 |
| | 2202501505000 | 25 | 1,5 | 50 |
| | 2202800705000 | 28 | 0,7 | 100 |
| | 2203201205000 | 32 | 1,2 | 50 |
| | 4202250605000 | 22x15 | 0,6 | 150 |
| | 4203050705000 | 30x15 | 0,7 | 100 |
| | 4203051005000 | 30x15 | 1,0 | 50 |
| | 4203051505000 | 30x15 | 1,5 | 50 |
| 5203522005000 | 35x20 | 2,0 | 50 | |

Length

The tubes are produced in standard length of 5m.
Cut sizes are available to customers specific requirements.


Dimensions

The tubes are produced in standard dimensions (outer diameter and wall thickness) as shown in the table.



Brass Plated Steel Tubes

Direct plated finishes on welded steel tubes manufactured to DIN 2394. Only the very best quality of surface finish steel is used in the production of our tube.

| Product | Art.no. | Ø mm | Wall thickness mm | Meter per bundle |
|---|---------------|---------|----------------------|---------------------|
|  | 2900950502500 | 9,5 | 0,5 | 40 |
| | 2901270502500 | 12,7 | 0,5 | 40 |
| | 2901600502500 | 16 | 0,5 | 40 |
| | 2901900602500 | 19 | 0,6 | 40 |
| | 2902500702500 | 25 | 0,7 | 40 |
| | 4903050702500 | 30x15 | 0,7 | 40 |

Length

The tubes are produced in standard length of 1m 1,5m 2m and 2,5m.
Cut sizes are available to customers specific requirements.

Dimensions

The tubes are produced in standard dimensions (outer diameter and wall thickness) as shown in the table.
Other dimensions are available on request.



Plastic Coated Welded Steel Tubes

Plastic coated finish on welded steel tubes manufactured to DIN 2394. This method of production consist of a coating of plastic which is extruded directly onto the steel, ensuring a smooth and consistent surface finish. Ribbed and other profiled coatings are produced and further information is available on request. A wide range of colours are available but certain non standard colours are subjected to availability and minimum production quantities. The coating will withstand corrosion and exposure to all temperatures normally encountered in everyday conditions.

| Product | Art.no. | Ø mm | Wall thickness mm | Meter per bundle |
|---------|---------------|---------|----------------------|---------------------|
| | 1420950505000 | 9,5 | 0,5 | 300 |
| | 1421200605000 | 12 | 0,5 | 250 |
| | 1421270605000 | 12,7 | 0,5 | 250 |
| | 1421500605000 | 15 | 0,6 | 200 |
| | 1421600605000 | 16 | 0,6 | 200 |
| | 1421900605000 | 19 | 0,5 | 150 |
| | 1422000605000 | 20 | 0,6 | 150 |
| | 1422520605000 | 25 | 0,6 | 100 |
| | 1422800705000 | 28 | 0,7 | 100 |
| | 4422250605000 | 22x15 | 0,6 | 150 |
| | 4423050605000 | 30x15 | 0,6 | 100 |

Length

The tubes are produced in standard length of 5m.
Cut sizes are available to customers specific requirements.

Dimensions


The tubes are produced in standard dimensions (outer diameter and wall thickness) as shown in the table.
Other dimensions are available on request.



Plastic Coated Welded Steel Tubes

Pearl- & Matt chrome

Plastic coated finish on welded steel tubes manufactured to DIN 2394. This method of production consist of a coating of plastic which is extruded directly onto the steel, ensuring a smooth and consistent surface finish. Ribbed and other profiled coatings are produced and further information is available on request. A wide range of colours are available but certain non standard colours are subjected to availability and minimum production quantities. The coating will withstand corrosion and exposure to all temperatures normally encountered in everyday conditions.

| Product | Art.no. | Ø mm | Wall thickness mm | Meter per bundle |
|---|---------------|---------|----------------------|---------------------|
|  | 1300950505000 | 9,5 | 0,5 | 300 |
| | 1301200605000 | 12 | 0,5 | 250 |
| | 1301270605000 | 12,7 | 0,5 | 250 |
| | 1301600605000 | 16 | 0,6 | 200 |
| | 1301900605000 | 19 | 0,5 | 150 |
| | 1302000605000 | 20 | 0,6 | 150 |
| | 1302520605000 | 25 | 0,6 | 100 |
| | 1302800705000 | 28 | 0,7 | 100 |
| | 4302250605000 | 22x15 | 0,6 | 150 |
| | 4303050605000 | 30x15 | 0,6 | 100 |

Length

The tubes are produced in standard length of 5m.

Cut sizes are available to customers specific requirements.

Dimensions

The tubes are produced in standard dimensions (outer diameter and wall thickness) as shown in the table.

Other dimensions are available on request.



Plastic Coated Welded Steel Tubes

Various Colours

Plastic coated finish on welded steel tubes manufactured to DIN 2394. This method of production consist of a coating of plastic which is extruded directly onto the steel, ensuring a smooth and consistent surface finish. Ribbed and other profiled coatings are produced and further information is available on request. A wide range of colours are available but certain non standard colours are subjected to availability and minimum production quantities. The coating will withstand corrosion and exposure to all temperatures normally encountered in everyday conditions.

| Product | Art.no. | Ø mm | Wall thickness mm | Meter per bundle |
|---------|---------|---------|----------------------|---------------------|
| | | 9,5 | 0,5 | 300 |
| | | 12 | 0,5 | 250 |
| | | 12,7 | 0,5 | 250 |
| | | 16 | 0,6 | 200 |
| | | 19 | 0,6 | 150 |
| | | 20 | 0,6 | 150 |
| | | 25 | 0,6 | 100 |
| | | 28 | 0,7 | 100 |
| | | 22x15 | 0,6 | 150 |
| | | 30x15 | 0,7 | 100 |

Length

The tubes are produced in standard length of 5m.

Cut sizes are available to customers specific requirements.

Dimensions

The tubes are produced in standard dimensions (outer diameter and wall thickness) as shown in the table.

Other dimensions are available on request.



Fittings, Round tubes

| Product | Art.no. | Description | Ø mm | Art.no-XX | Finish | Pcs/ outer |
|---|-----------------------------|--|----------------|-------------------|---|---------------|
|  | 100 B100 C100 P100 | Large End Brackets Zinc diecast | 19 25 | -07 -10 | chrome brass white pearl - chrome | 20 |
|  | 101 B101 C101 P101 | Large Centre Brackets Zinc diecast | 19 25 | -07 -10 | chrome brass white pearl - chrome | 20 |
|  | 200 B200 C200 P200 | Standard End Brackets Zinc diecast | 16 19 25 | -06 -07 -10 | chrome brass white pearl - chrome | 50 |
|  | 201 B201 C201 P201 | Standard Centre Brackets Zinc diecast | 16 19 25 | -06 -07 -10 | chrome brass white pearl - chrome | 50 |
|  | 527 B527 C527 P527 | Deep Neck Sockets Zinc diecast | 19 25 32 | -07 -10 -12 | chrome brass white pearl - chrome | 50 |

A full range of fittings complete the decorative tubes and when used together, these products give greater flexibility to task around the home.



Fittings, Round tubes

| Product | Art.no. | Description | Ø mm | Art.No-XX | Finish | Pcs/outer |
|---|---------------------|---------------------------------|-------|-----------|--------------------------------------|-----------|
|  | 548 | End Cap black, white, chrome | 25 | -10 | white | 100 |
| | C548 S548 548 | | 30x15 | -30 | black chrome | |
| | | Plastic | | | | |
|  | 549 | Clamp | 25 | -10 | chrome white pearl - chrome | 10 |
| | C549 P549 | | | | | |
|  | 625 | Standard Sockets | 19 | -07 | chrome brass white | 50 |
| | B625 C625 | | 25 | -10 | | |
| | | Steel | | | | |
|  | 528 | Straight Bracket | 9,5 | -03 | chrome | 20 |
| | | | 12,7 | -05 | | |
| | | | 16 | -06 | | |
| | | | 19 | -07 | | |
| | | | 25 | -10 | | |
| | | Steel | | | | |
|  | 529 | Cranked Bracket | 9,5 | -03 | chrome | 20 |
| | | | 12,7 | -05 | | |
| | | | 16 | -06 | | |
| | | | 19 | -07 | | |
| | | | 25 | -10 | | |
| | | Steel | | | | |

A full range of fittings complete the decorative tubes and when used together, these products give greater flexibility to task around the home.

Fittings, Round tubes

| Product | Art.no. | Description | Ø mm | Art.no-XX | Finish | Pcs/ outer |
|---|-------------|--|-------------------------------|---------------------------------|-----------------|---------------|
|  | 628 | Conceald brackets Steel | 9,5 12,7 16 19 25 | -03 -05 -06 -07 -10 | chrome | 20 |
|  | 828 C828 | Invisifix Concealed Fix Sockets Steel | 19 25 | -07 -10 | chrome white | 20 |
|  | 509 | Hook Steel | 19 25 | -07 -10 | Chrome | 50 |
|  | 524 | Open Sockets Zinc diecast | 25 | -10 | Chrome | 20 |
|  | 510 | Hook Steel | 19 25 | -07 -10 | Chrome | 20 |
|  | 511 | Adjustable (+10mm) wall support Builds 40mm Plastic | 25 | -10 | Chrome | 10 set |
|  | 508 | Adjustable (+10mm) wall support Builds 40mm Plastic | 25 | -10 | Chrome | 10 set |

A full range of fittings complete the decorative tubes and when used together, these products give greater flexibility to task around the home.





Fittings, Oval Tubes

| Product | Art.no. | Description | Ø mm | Finish | Pcs/ outer |
|---|-----------------------------|---|---------------------|---|---------------|
|  | 550 B550 C550 P550 | Oval Sockets Zinc diecast | 22x15 & 30x15 | chrome brass white pearl - chrome | 50 |
|  | 550R C550R P550R | Concealed Fix Oval Sockets Zinc diecast | 22x15 & 30x15 | chrome brass white pearl - chrome | 50 |
|  | 662 B662 C662 P662 | Oval Sliding Hooks Zinc diecast | 22x15 & 30x15 | chrome brass white pearl - chrome | 50 |
|  | 660 B660 | Face/Top Fix Oval Sockets Zinc diecast | 22x15 & 30x15 | chrome brass | 50 |
|  | 661 B661 C661 P661 | Oval Centre Brackets Zinc diecast | 22x15 & 30x15 | chrome brass white pearl - chrome | 50 |
|  | 663 B663 | Concealed Fix Oval Centre Brackets with screw Zinc diecast | 22x15 & 30x15 | chrome brass | 50 |











A full range of fittings complete the decorative tubes and when used together, these products give greater flexibility to task around the home.

Fittings

| Product | Art.no. | Description | Ø mm | Pcs/ outer |
|--|---------|---------------------------|------|------------|
|  | 540 | 3-way Zinc diecast | 25 | 10 |
|  | 541 | 4-way Zinc diecast | 25 | 10 |
|  | 542 | 4-way Zinc diecast | 25 | 10 |
|  | 543 | 5-way Zinc diecast | 25 | 10 |
|  | 544 | 6-way Zinc diecast | 25 | 10 |

A full range of fittings complete the decorative tubes and when used together, these products give greater flexibility to task around the home.

DIY Kit

| Product | Art.no. Description | Containing | Diam tot L |
|---|--|--|-------------------------------------|
|  | 73500 Roof Storage |  | 25mm 1000mm |
|  | 73501 Wall Storage |  | 25mm 820mm |
|  | 73502 Wall Storage Extra |  | 25mm 820mm |
|  | 73503 Extendable Rod (+10mm) Fixing without screws |  | 25mm Length up to customer |
|  | 73504 Wall Storage Standard |  | 19mm 580mm 780mm |



Any other length are available to customers request



Grab Rails






Our Grab Rail Programme is a comprehensive range designed to meet the needs of the disabled, aged and frail. There are many applications in domestic housing, hospitals, hotels, public buildings and residential homes. The product range is manufactured in 25mm diameter steel tube with a choice of Chrome Plated and White Polyester Coated finishes.



| Product | Length mm | Item number | |
|---------------------------------|--------------|------------------------|--|
| | | chrome | white |
| Standard Grab Rail 25mm (Steel) | 305 610 | G10-25305 G10-25610 | GC10-25305 GC10-25610 |
| Grab rail | 305 610 | | white GC30-25305 GC30-25610 |



Curtain Wire

| Product | Art.no. | Description | Pcs/outer |
|---|----------|--|-----------|
|  | 816-1.5 | White plastic coated curtain wire 1,5m | 200 |
| | 816-3.0 | White plastic coated curtain wire 3,0m | 200 |
| | 816-5.0 | White plastic coated curtain wire 5,0m | 100 |
|  | 816-30N | White plastic coated curtain wire in box of 30m | 10 |
|  | 816-300S | White plastic coated curtain wire on spole of 300m | 1 |
| | 816-500 | White plastic coated curtain wire on spole of 500m | 1 |
|  | 17 | Hooks, in box of 200pcs | 25 |
| | 17B | Hooks, in bag of 2500pcs | 1 |
|  | 18 | Eyes, in box of 200pcs | 25 |
| | 18B | Eyes, in bag of 2500pcs | 1 |